

Lopez 6'8"				
All dimensions nominal before prefit and bevel.				
DW	A	B	C	# of Planks
3-0	24.00	6.00	2.75	8
2-10	24.00	5.00	2.75	8
2-8	23.00	4.50	2.75	8
2-6	21.00	4.50	2.75	6
2-4	18.00	5.00	2.75	6
2-2	18.00	4.00	2.75	6
2-0	14.00	5.00	2.75	4
1-10	14.00	4.00	2.75	4
1-8	10.00	5.00	1.75	4
1-6	10.00	4.00	1.75	4
1-4	10.00	3.00	1.75	4

Bottom rail dimension does not comply with ADA requirements.

# Lopez




## Molded Profile Door



DIMENSIONS ARE IN: inches  
DOOR TOLERANCES  
WIDTH (FULL WIDTH): ±1/16  
WIDTH (PREFIT): ±1/32  
HEIGHT: ±1/16  
SQUARE: ±1/8

THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF Lynden Door, Inc. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF Lynden Door, Inc. IS PROHIBITED.

**A04-00059 09/13/19**



**Lopez 7'0"**

All dimensions nominal before prefit and bevel.

DW	A	B	C	# of Planks
3-0*	24.00	6.00	2.75	8
2-10*	24.00	5.00	2.75	8
2-8*	23.00	4.50	2.75	8
2-6*	21.00	4.50	2.75	6
2-4*	18.00	5.00	2.75	6
2-2*	18.00	4.00	2.75	6
2-0*	14.00	5.00	2.75	4
1-10*	14.00	4.00	2.75	4
1-8*	10.00	5.00	1.75	4
1-6*	10.00	4.00	1.75	4
1-4*	10.00	3.00	1.75	4

Bottom rail dimension complies with ADA requirements.

\* Non-Stock, Contact factory for pricing and availability.

# Lopez




## Molded Profile Door



DIMENSIONS ARE IN: inches  
DOOR TOLERANCES  
WIDTH (FULL WIDTH): ±1/16  
WIDTH (PREFIT): ±1/32  
HEIGHT: ±1/16  
SQUARE: ±1/8

THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF Lynden Door, Inc. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF Lynden Door, Inc. IS PROHIBITED.

**A04-00059 09/13/19**



Lopez 8'0"

All dimensions nominal before prefit and bevel.

DW	A	B	C	# of Planks
3-0	24.00	6.00	2.75	8
2-10	24.00	5.00	2.75	8
2-8	23.00	4.50	2.75	8
2-6	21.00	4.50	2.75	6
2-4	18.00	5.00	2.75	6
2-2	18.00	4.00	2.75	6
2-0	14.00	5.00	2.75	4
1-10	14.00	4.00	2.75	4
1-8	10.00	5.00	1.75	4
1-6	10.00	4.00	1.75	4
1-4	10.00	3.00	1.75	4

Bottom rail dimension does not comply with ADA requirements.

# Lopez




## Molded Profile Door



DIMENSIONS ARE IN: Inches  
DOOR TOLERANCES  
WIDTH (FULL WIDTH): ±1/16  
WIDTH (PREFIT): ±1/32  
HEIGHT: ±1/16  
SQUARE: ±1/8

THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF Lynden Door, Inc. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF Lynden Door, Inc. IS PROHIBITED.

**A04-00059 09/13/19**



Lopez Bifold 6'8"				
BF	A	B	C	D
3-0	10.00	5.50	2.25	1.75
2-8	10.00	3.50	2.25	1.75
2-6	8.00	4.50	2.25	1.06
2-4	8.00	3.50	2.25	1.06
2-0	6.00	3.50	2.25	1.03

Use of heavy duty hardware may require additional undercut. Lynden Door standard is 3/4"

# Lopez




## Molded Profile Bifold



DIMENSIONS ARE IN: inches  
DOOR TOLERANCES  
WIDTH (FULL WIDTH): ±1/16  
WIDTH (PREFIT): ±1/32  
HEIGHT: ±1/16  
SQUARE: ±1/8

THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF Lynden Door, Inc. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF Lynden Door, Inc. IS PROHIBITED.

A04-00059 09/13/19



Lopez Bifold 7'0"				
BF	A	B	C	D
3-0*	10.00	5.50	2.25	1.75
2-8*	10.00	3.50	2.25	1.75
2-6*	8.00	4.50	2.25	1.06
2-4*	8.00	3.50	2.25	1.06
2-0*	6.00	3.50	2.25	1.03
Use of heavy duty hardware may require additional undercut. Lynden Door standard is 3/4"				
<b>* Non-Stock, Contact factory for pricing and availability.</b>				

# Lopez

## Molded Profile Bifold



DIMENSIONS ARE IN: inches  
DOOR TOLERANCES  
WIDTH (FULL WIDTH): ±1/16  
WIDTH (PREFIT): ±1/32  
HEIGHT: ±1/16  
SQUARE: ±1/8

THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF Lynden Door, Inc. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF Lynden Door, Inc. IS PROHIBITED.

**A04-00059 09/13/19**